

Material Safety Data Sheet Hydron Barricade

Not classified as hazardous according to criteria of WorkSafe Australia.

Product Name	
Trade Name:	Hydron Barricade Anti-Graffiti
Other Name:	
Manufacturer's Code:	
U.N. Number:	N/A
Dangerous Goods Class and Subsidiary Risk:	N/A
Hazchem Code:	N/A
Poisons Schedule:	N/A

Use

Protective treatment against graffiti for marble, granite, porcelain and other highly dense stones.

Physical Description/Properties	
Appearance:	Milky Liquid
Boiling Point:	100 degrees C (water)
Vapour Pressure:	17.5mm Hg @ 20 degrees C (water)
Flash Point:	N/A
Specific Gravity (Kg/L):	1.00
Percent Volatiles:	86%

Ingredients			
Chemical Entity	CAS No.	Proportion	
Siliconate	016589436	<10%	
Acrylic Copoymer	N/A	<10%	
Additives	Non-Hazardous	<10%	
Water	7732-18-5	to 100%	

Health Effects	
Swallowed:	Slightly irritating, may affect digestive tract when swallowed in volume
Eyes:	Slightly Irritating, will affect eyes with prolonged exposure
Skin:	Slightly irritating, may affect skin on prolonged contact.
Inhaled:	Slightly irritating, may cause nausea on prolonged contact.

Last updated: 3rd February 2016

Mobile: 0431577327 Ph: 08 8235 1640 Fax: 08 8353 8226 Email: khansen@hydron.com.au Page 1/2 Hydron Protector Systems 366 Tapleys Hill Rd Seaton SA 5023 www.hydron.com.au



Material Safety Data Sheet Hydron H-100

Not classified as hazardous according to criteria of WorkSafe Australia.

First Aid	
Swallowed:	If swallowed contact a doctor or poisons information service. Do not induce vomiting. Give water to drink and seek medical advice.
Eyes:	Gently flush with running water, holding eyelids open for 15minutes. Seek medical
Skin:	attention. Wash affected area immediately with soap & water.
Inhaled:	Tread for drowing, paint is water based.
Advice to Doctor:	Treat symptomatically.

Precautions for Use	
Exposure limits:	None established.
Ventilation:	No special ventilation requirements.
Personal protection:	Normal site protection, safety glasses and overalls. Observe good industrial hygeine.
Flammability:	This product is not flammable.

Safe Handling Information	
Storage and transport:	Store in a cool dry place, out of reach of children.
Spills and disposal:	Do not allow large spills to enter drains or sewers, inform police if this occurs. Absort spilt product onto sand or earth and dispose to land fill, in accordance with State and Local regulations.
Fire/explosion hazard:	N/A

Contact Point	
Technical Manager:	Matthew Bolzon
Phone:	08 8235 1640

Disclaimer

Any advice, recommendation, information, assistance or service provided by Hydron in relation to its products or their use is given in good faith, however is provided without responsibility or liability. Customers need to undertake their own assessment to determine the suitability of a product for the particular use intended. As the performance of any product is subject to a wide variety of different surface types as well as environmental and surface-specific conditions, we are unable to assume liability for any loss, consequential damages or otherwise that may arise from the use of our product. Where a product is proven to be defective, our liability is limited to the replacement of the product only.

Date of Issue

February 2016

Authorised by: Technical Manager

Last updated: 3rd February 2016

Mobile: 0431577327 Ph: 08 8235 1640 Fax: 08 8353 8226 Email: khansen@hydron.com.au Page 2/2 Hydron Protector Systems 366 Tapleys Hill Rd Seaton SA 5023 www.hydron.com.au